

CONCRETE GRINDING & CUTTING



125mm Concrete Grinder

RS 14-125

- S-automatic safety clutch
- VTC Electronics:
Constant torque even under load, Variable Speed
- Soft start
- Restart protection
- Quick depth adjustment
- Robust shroud
- Hinged mounted front flap
- Spindle lock
- Air stream between shroud & collar

Rated input	1,450 Watt
Disc size ø	125 mm
Speed	2,000-7,000 rpm
Torque	4 Nm
Weight	3.6 kg



Includes:
Cup Wheel 28205



XXL
3 YEARS
WARRANTY

The Metabo 3-year warranty

We give you an extra long 3 year warranty on all our products. Simply register up to 4 weeks after your purchase on the Internet and your regular guarantee is extended to three years.

Register at www.metabo.com/xxl

metabo®

PROFESSIONAL POWER TOOL SOLUTIONS

Concrete Grinders Compatible with M+ fully intergrated dust extraction system



RF 14-115

- S-automatic safety clutch
- VTC Electronics: Constant torque even under load, Variable Speed
- Soft start
- Restart protection
- Triple reduction gearing
- Quick depth adjustment
- Spring loaded brush skirt



RS 17-125

- S-automatic safety clutch
- Soft start
- Restart protection
- Quick depth adjustment
- Robust shroud
- Spring loaded brush skirt
- Hinged mounted front flap
- Spindle lock
- Air stream between shroud & collar



Technical Data	RF 14-115	RS 17-125
Rated input	1,450 Watt	1,700 Watt
Disc size ø	115 mm	125 mm
Speed	800 - 2,800 rpm	8,500 rpm
Torque	9 Nm	9 Nm

Accessories For Concrete Grinders



Diamond cup wheel (Ø 125 mm) "Concrete professional" for particularly hard substrates. 628205000



Diamond cup wheel (Ø 125 mm) "abrasive professional" for hard coatings. 628209000



Cup wheel (Ø 125 mm) "PKD professional" for soft coatings 628208000



Star cutter head pointed complete removal of hard coats 628210000



Star cutters head bent complete For removal of soft coats 628212000



Spare star cutters: Pointed (15 pieces) 628211000



Spare star cutters: Bent (15 pieces) 628213000

For More Information Visit:

Diamond Cutting System Compatible with M+ fully intergrated dust extraction system



For More Information Visit:

Guide Rail: 631213000

Diamond cutting blades 125mm 2 blades per pack 628131000

Anti Static Hose ø35mm x 4.0m 631370000



ASR 35 L ACP



WE 15-125 Quick



CED 125 Plus

- Systems for particularly precise cutting and low-dust output. Cutting depth up to 27 mm indoors and outdoors
- Continuously dust-free: anti-static plastic reduces accumulation of dust for constantly high extraction power
- Pure precision: available with guide rails
- Sophisticated: Dust-free plunge cuts thanks to optimised air flow
- Base plate can be removed without tools for greater flexibility and improved visibility for freehand work
- Universally adaptable system for low-dust grinding indoors and outdoors
- Continuously dust-free: anti-static plastic reduces accumulation of dust for constantly high extraction power
- More efficiency: The front section can simply be opened without tools - perfect for working near the wall

Concrete Grinder Kits with M+ fully intergrated dust extraction system



NEW



RF 14-115- ASR 35 Kit

- RF 14-115 Concrete Grinder
- ASR 35 M ASC Vacuum
- Star cutter head pointed complete 628210000



NEW



RS 14-125- ASR 35 Kit

- RS 14-125 Concrete Grinder
- ASR 35 M ASC Vacuum
- Diamond cup-wheel, Ø 125 mm concrete / universal 628205000



NEW



RS 17-125- ASR 35 Kit

- RS 17-125 Concrete Grinder
- ASR 35 M ASC Vacuum
- Diamond cup-wheel, Ø 125 mm concrete / universal 628205000

Wet & Dry Vaccuums



Fully Intergrated Dust Extraction System...

For best results, the dual port dust extraction system is to be used exclusively with the **Metabo dust extraction range**.

The **M+ dust extraction system** brings you as close as possible to a dust free working environment. Not only is this better for your health, but there is less clean up required when working indoors.



ASA 32 L



ASR 35 L ACP



ASR 50 M SC

Technical Data	ASA 32 L	ASR 35 L ACP	ASR 50 M SC
Rated input	1,200 w	1,400 w	1,400 w
Vacuum	200 hpa (mbar)	248 hpa (mbar)	248 hpa (mbar)
Filter surface	3,600 cm ²	8,600 cm ²	8,600 cm ²
Hose	3.2 m x ø 35 mm	3.2 m x ø 35 mm	4 m x ø 35 mm
Container volume	32 litres	35 litres	50 litres

Wall Chasers Compatible with M+ fully integrated dust extraction system



MFE 30

- Suitable for quick and clean cutting of wall channels
- Channel width and cutting depth can be set
- Low-dust
- Metabo Marathon motor
- Overload protection
- Tacho-Constamatic Electronics
- Restart protection
- Metabo S-automatic safety clutch

MFE 65

- Suitable for quick and clean cutting of wall channels
- Channel width and cutting depth can be set
- Metabo Marathon motor
- Electronic overload protection
- Soft Start
- Restart protection
- Metabo VibraTech (MVT)
- Electronic safety shutdown

Technical Data	MFE 30	MFE 65
Rated input	1,400 w	2,400 w
Disc Size ø	125 mm	230 mm
Possible groove widths	10 / 17 / 23 / 30 mm	3 / 9 / 17 / 29 / 33 / 37 / 41 mm
Cutting depth	0 - 30 mm	20 - 65 mm
Speed	8,200 rpm	6,500 rpm
Weight	4.3 kg	9.8 kg

M+ SYSTEM Diamond cutting blades

125mm 628131000
• 2 Blades per pack


230mm 628135000
• 2 Blades per pack

Wall Chaser Kit with M+ fully integrated dust extraction system



MFE 30 Combo

- MFE 30 wall chaser
- ASA 32 L Vacuum
- Heavy Duty hose 30344
- 2 Diamond discs (628131000)
- Metal carry case



The Metabo 3-year warranty

We give you an extra long 3 year warranty on all our products. Simply register up to 4 weeks after your purchase on the Internet and your regular guarantee is extended to three years. Register at www.metabo.com/xxl

metabo®

PROFESSIONAL POWER TOOL SOLUTIONS

Metabo Pty Ltd ABN 80 004 697 741
10 Dalmore Drive Scoresby 3179
P (03) 9765 0199 F (03) 9765 0189
1800 METABO
sales@metabo.com.au
www.metabo.com.au

METABO RESERVES THE RIGHT TO CORRECT ANY PRINTED ERRORS.(E&OE). PRODUCTS MAY VARY DUE TO TECHNICAL CHANGES & AVAILABILITY. AUGUST 2017